



## Sophia 1

|                                                                                              |                           |
|----------------------------------------------------------------------------------------------|---------------------------|
| MODEL 55                                                                                     |                           |
| 59.5" x 31" x 21"                                                                            |                           |
| DROP-IN or UNDERMOUNT<br>77 gal to overflow                                                  |                           |
| Acrylic CXL®                                                                                 | DoloMatte®                |
| 95 lbs / 43 kg                                                                               | <SOAKER> 107 lbs / 49 kg  |
| 118 lbs / 54 kg                                                                              | <PLUMBED> 130 lbs / 59 kg |
| Filling this tub to the maximum may require an above average size or dedicated water heater. |                           |



Numbered areas on tub deck represent possible locations to install cleaning systems, faucets and other fixtures. Shown with Air Massage and Ultra Whirlpool Package.



**IMPORTANT:**  
Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

## IMPORTANT ORDERING &amp; INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
- Radiance placed on airbath floor will affect placement of air jets.
- System components may extend beyond the perimeter of deck.
- Please measure tub on-site before building tub decking.
- Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

## ELECTRICAL COMPONENTS &amp; SPECIFICATIONS

| Hydrotherapy Package                                                                                                                                                                                        | Components Included                             | GFCI / 110V |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------|
| Standard Whirlpool                                                                                                                                                                                          | 2-bhp pump                                      | 1-15 amp    |
| Stream Bath                                                                                                                                                                                                 | ½-bhp, ozone                                    | 1-20 amp    |
| Microbubbles                                                                                                                                                                                                | Microbubbles pump                               | 1-15 amp    |
| Ultra Whirlpool                                                                                                                                                                                             | 2-bhp pump, inline heater, ozone                | 2-15 amp    |
| Air Massage                                                                                                                                                                                                 | heated blower                                   | 1-15 amp    |
| Air Massage Elite                                                                                                                                                                                           | heated blower, chromatherapy                    | 1-15 amp    |
| Air Massage w/ Stream Bath                                                                                                                                                                                  | ½-bhp pump, heated blower, ozone                | 1-20 amp    |
| Air Massage Elite w/ Stream Bath                                                                                                                                                                            | ½-bhp pump, heated blower, chromatherapy, ozone | 1-20 amp    |
| Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information, CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7 |                                                 |             |

| Hydrotherapy Package           | Components Included                                            | GFCI / 110V |
|--------------------------------|----------------------------------------------------------------|-------------|
| Microbubbles with Air          | Microbubbles pump, heated blower                               | 1-20 amp    |
| Microbubbles with Air Elite    | Microbubbles pump, heated blower, chromatherapy                | 2-15 amp    |
| Air with Whirlpool             | 2-bhp pump, heated blower                                      | 2-15 amp    |
| Air with Ultra Whirlpool       | 2-bhp pump, inline heater, heated blower, ozone                | 2-20 amp    |
| Air Elite with Whirlpool       | 2-bhp pump, heated blower, chromatherapy                       | 2-15 amp    |
| Air Elite with Ultra Whirlpool | 2-bhp pump, inline heater, heated blower, chromatherapy, ozone | 2-20 amp    |

See the Installation & Operation Manual for more details.  
MTI's Customer Service Monday-Friday 8am-6pm EST  
800-783-8827 or service@mtibaths.com

- Before discarding tub crate, check for accessories that may be packaged inside.
- All product measurements are ±1/2".
- Specifications and configurations are subject to change without notice.
- Measurements herein supersede all others published prior to publication date below.

**mti**  
BATHS

- Aromatherapy is eliminated for undermount applications
- Air Baths, Pre-Leveled Foam Base or Frame Systems increase overall height by 2-3".

**Sophia 1**  
MODEL 55  
59.5" x 31" x 21"

| Hydrotherapy Packages                     | Package Contents                                                                                                                                                  | Acrylic CXL® |          | DoloMatte®   |          |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|--------------|----------|
|                                           |                                                                                                                                                                   | Part #       | MSRP     | Part #       | MSRP     |
| Soaker                                    | Soaking bath - no jets                                                                                                                                            | S55-DI       | \$2,755  | S55DM-DI     | \$3,340  |
|                                           |                                                                                                                                                                   | S55-UM       |          | S55DM-UM     |          |
| Stream Bath                               | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone                                                                                                                    | SM55-DI      | \$5,235  | SM55DM-DI    | \$5,815  |
|                                           |                                                                                                                                                                   | SM55-UM      |          | SM55DM-UM    |          |
| Microbubbles                              | 1 microbubbles infusion port and pump                                                                                                                             | M55-DI       | \$5,990  | M55DM-DI     | \$6,575  |
|                                           |                                                                                                                                                                   | M55-UM       |          | M55DM-UM     |          |
| Air Massage                               | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base                                                                                               | AST55-DI     | \$6,310  | AST55DM-DI   | \$6,895  |
|                                           |                                                                                                                                                                   | AST55-UM     |          | AST55DM-UM   |          |
| Air Massage Elite                         | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base                                                         | AE55-DI      | \$8,160  | AE55DM-DI    | \$8,740  |
|                                           |                                                                                                                                                                   | AE55-UM      |          | AE55DM-UM    |          |
| Stream Bath with Air Massage              | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base                                               | ASTSM55-DI   | \$8,300  | ASTSM55DM-DI | \$8,885  |
|                                           |                                                                                                                                                                   | ASTSM55-UM   |          | ASTSM55DM-UM |          |
| Stream Bath with Air Massage Elite        | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base         | AESM55-DI    | \$10,345 | AESM55DM-DI  | \$10,925 |
|                                           |                                                                                                                                                                   | AESM55-UM    |          | AESM55DM-UM  |          |
| Microbubbles with Air Massage             | 1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base                                                        | ASTM55-DI    | \$8,955  | ASTM55DM-DI  | \$9,540  |
|                                           |                                                                                                                                                                   | ASTM55-UM    |          | ASTM55DM-UM  |          |
| Microbubbles with Air Massage Elite       | 1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base                  | AEM55-DI     | \$10,710 | AEM55DM-DI   | \$11,295 |
|                                           |                                                                                                                                                                   | AEM55-UM     |          | AEM55DM-UM   |          |
| Standard Whirlpool                        | 6 point-massage jets, 2-bhp pump                                                                                                                                  | P55-DI       | \$5,060  | P55DM-DI     | \$5,645  |
|                                           |                                                                                                                                                                   | P55-UM       |          | P55DM-UM     |          |
| Ultra Whirlpool                           | 8 point-massage jets, 2 bhp pump, inline heater, Ozone                                                                                                            | P55U-DI      | \$7,005  | P55UDM-DI    | \$7,585  |
|                                           |                                                                                                                                                                   | P55U-UM      |          | P55UDM-UM    |          |
| Air Massage with Standard Whirlpool       | 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base                                                             | AW55-DI      | \$8,610  | AW55DM-DI    | \$9,195  |
|                                           |                                                                                                                                                                   | AW55-UM      |          | AW55DM-UM    |          |
| Air Massage with Ultra Whirlpool          | 8 point-massage jets, 2 bhp pump, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base                                       | AU55-DI      | \$10,555 | AU55DM-DI    | \$11,135 |
|                                           |                                                                                                                                                                   | AU55-UM      |          | AU55DM-UM    |          |
| Air Massage Elite with Standard Whirlpool | 6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base                       | AEAP55-DI    | \$10,465 | AEAP55DM-DI  | \$11,045 |
|                                           |                                                                                                                                                                   | AEAP55-UM    |          | AEAP55DM-UM  |          |
| Air Massage Elite with Ultra Whirlpool    | 8 point-massage jets, 2 bhp pump, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEAP55U-DI   | \$11,530 | AEAP55UDM-DI | \$12,110 |
|                                           |                                                                                                                                                                   | AEAP55U-UM   |          | AEAP55UDM-UM |          |

## RECOMMENDED SENSORY THERAPIES

Chromatherapy  
(LE) \$990 underwater lighting  
2 LED lights included

Audiotherapy  
(STEREOBT) \$1,720 2 transducers  
with bluetooth and amplifier  
(BTREMOTE) \$740 bluetooth remote

(STEREOH202) \$1,950 4 transducers  
amplifier not included

Thermaltherapy  
(RAD100) \$1,975 Radiance®  
2 heated zones included  
(HTISOAK) \$1,020

For more information on options and accessories  
go to Acrylic Tub Options at mtibaths.com

**Sophia 1**  
MODEL 55

### Options Must be ordered at time of purchase.

|                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard Colors White (CWH) DoloMatte available in matte white only.<br>Biscuit (CBS) Not available for DoloMatte.                                               |
| Quick Ship reduces lead time (QSPRI) \$535<br>Please call for availability                                                                                       |
| Inline Heater maintains water temperature<br>For Soaker or Air Baths (HTISOAK) \$1,020<br>Includes a recirculating pump<br>Cannot be combined with Microbubbles. |
| Virtual Spout high-flow integrated tub filler (FPMJ) \$560<br>Virtual Spout location is left of the overflow, unless otherwise specified on order.               |
| Grab Bars from \$405<br>Selections vary. Personalization available.                                                                                              |
| Textured Bottom (TXTBTM) Acrylic CXL® only \$130<br>DoloMatte® exceeds ANSI A137.1/A326.3 and AS HB198 slip tests.                                               |

### Accessories

|                                                                                                      |
|------------------------------------------------------------------------------------------------------|
| Pillows from \$225                                                                                   |
| Teak Bath Mat (TKMAT3018) \$990<br>Custom sizes also available. Contact MTI for details and pricing. |
| Teak Tub Tray<br>Slatted (TK-TRAY1) \$605 Solid (TK-TRAY2) \$690                                     |

### Hydrotherapy Equipment & Cleaning Systems Must be ordered at time of purchase.

|                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inline Heater maintains water temperature<br>For Whirlpools or Stream Bath (HTI) \$710<br>Uses existing pump<br>Cannot be combined with Microbubbles.                                                                                                                       |
| Whirlpool Cleaning System<br>Fill-Flush (FFSO) \$730<br>Must specify stub-out location on order. See page 1 for location options.                                                                                                                                           |
| Whirlpool Jets Pump upgrade may be advisable for optimal performance when adding jets.<br>Point-Massage Jet<br>Extra Point-Massage Jet (EJ) \$390<br>Micro-Jet from \$450<br>Jet styles and packages vary. Personalization available.<br>Pump Upgrade - 3-bhp (PUMP3) \$390 |
| Jet Trim Kits<br>For Standard Whirlpool<br>Chrome (TRC) \$340, Brushed Nickel (TRBN) \$900<br>For Ultra Whirlpool<br>Chrome (TRCU) \$460, Brushed Nickel (TRBNU) \$1,190                                                                                                    |
| Ozonator (OZONE) \$635<br>Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK.                                                                                                                                                       |

### Installation Options Must be ordered at time of purchase.

|                                                                                                                                      |                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pre-Leveled Foam Base (PLFOAM) \$365<br>All airbaths include a pre-leveled foam base.<br>Pre-Leveled Frame and Foam Base (PLF) \$915 | Tile Flange<br>Factory-Installed on 3 sides - rigid ABS (TFK3) \$250<br>Field Install Kit - includes rigid ABS & adhesive (TFKNI) \$230<br>IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange.<br>Not available with optional Low-Profile Rim. |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Drains & Overflow Kits

### Toe Tap Rectangular Overflow must be ordered at time of purchase

|                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cable Driven</b><br>Drain Finishes – PVC Drain Kit<br>White/Biscuit (WOCDW) \$545<br>Chrome (WOC) \$505<br>Brushed Nickel (WOCDBN) \$605<br>Polished Nickel (WOCDPN) \$670<br>Oil-Rubbed Bronze† (WOCBOR) \$685<br>Polished Brass (WOCDBR) \$855<br>Special Finishes* (WOCDSF) \$1,400<br>MTI does not offer a brass body cable drain kit. | <b>Toe Tap</b><br>Round Overflow – PVC Drain Kit<br>Chrome (WOTTC) \$475<br>Brushed Nickel (WOTTBN) \$480<br>Polished Nickel (WOTTPN) \$480<br>Special Finishes* (WOTTSTF) \$1,415<br>Round Overflow – Solid Brass Drain<br>Chrome (WOTTSBC) \$1,005<br>Brushed Nickel (WOTTSBBN) \$1,005<br>Polished Nickel (WOTTSBPN) \$1,005 | <b>Toe Tap</b><br>Rectangular Overflow – PVC Drain Kit<br>Chrome (WOTRC) \$585<br>Brushed Nickel (WOTRBN) \$535<br>White (WOTRW) \$650<br><b>Lift &amp; Turn</b><br>Drain Finishes – PVC Drain Kit<br>Chrome (WOC) \$230<br>White (WOW) \$305<br>Brushed Nickel (WOBN) \$380 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Slim-Line Overflow with Toe Tap Drain Must be ordered at time of purchase.

|                                                                                                                                                                                                                     |                                                                                                                                                                            |                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Low profile overflow is factory installed</li> <li>Overflow measures 4.5" x 1"</li> <li>Provides a deeper soak</li> <li>Not available for commercial applications</li> </ul> | <b>Slim-Line Overflow with Toe Tap Drain</b><br>PVC Drain<br>Chrome (SLOT) \$620<br>Brushed Nickel (SLOTBN) \$660<br>Polished Nickel (SLOTBN) \$690<br>White (SLOTW) \$535 | <b>Slim-Line Overflow with Toe Tap Drain</b><br>Solid Brass Drain<br>Chrome (SLOTSBC) \$1,150<br>Brushed Nickel (SLOTSBBN) \$1,155<br>Polished Nickel (SLOTSBPN) \$1,155<br>White (SLOTSBW) \$1,195 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

† MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers.  
To ensure best match, order as a Special Finish and submit a sample.

\* Allow 2-4 weeks lead time for Special Finishes.  
Send sample for best match.